

Day : Monday

Date:

10/10/2005

Time: 10:55:55


PALM INTRANET
Inventor Name Search Result

Your Search was:

Last Name = LIU

First Name = TA-WEI

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>09589742</u>	Not Issued	161	06/09/2000	Power connector	LIU, TA-WEI
<u>09708042</u>	Not Issued	161	11/08/2000	Embedded earphone socket	LIU, TA-WEI
<u>09793610</u>	Not Issued	161	02/27/2001	Wire-to-board connector	LIU, TA-WEI
<u>09809067</u>	<u>6410865</u>	150	03/16/2001	MECHANISM FOR EJECTING STYLUS	LIU, TA-WEI
<u>09908655</u>	Not Issued	161	07/20/2001	Stylus for personal digital assistant	LIU, TA-WEI
<u>10064797</u>	Not Issued	71	08/19/2002	Stylus retaining and releasing mechanism for stylus-receiving housing	LIU, TA-WEI
<u>10617775</u>	<u>6875934</u>	150	07/14/2003	KEYSTROKE STRUCTURE FOR ELECTRONIC DEVICES	LIU, TA-WEI
<u>11160201</u>	Not Issued	20	06/13/2005	Motherboard Allowing Selection of Different Central Processing Units	LIU, TA-WEI
<u>11160424</u>	Not Issued	20	06/23/2005	Method And Related Apparatus For Enhancing Information Security Of A Computer System	LIU, TA-WEI
<u>11162691</u>	Not Issued	20	09/20/2005	MOTHERBOARD CAPABLE OF	LIU, TA-WEI

				SELECTIVELY SUPPORTING DUAL GRAPHIC ENGINE	
--	--	--	--	--	--

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name	
<input type="text" value="Liu"/>	<input type="text" value="TA-WEI"/>	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Monday
Date:
10/10/2005
Time: 10:56:47

**PALM INTRANET****Inventor Name Search Result**

Your Search was:

Last Name = LIN

First Name = DUAN-YING

Application#	Patent#	Status	Date Filed	Title	Inventor Name
10064797	Not Issued	71	08/19/2002	Stylus retaining and releasing mechanism for stylus-receiving housing	LIN, DUAN-YING
10617775	6875934	150	07/14/2003	KEYSTROKE STRUCTURE FOR ELECTRONIC DEVICES	LIN, DUAN-YING

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name	
<input type="text" value="Lin"/>	<input type="text" value="Duan-Ying"/>	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	36760	stylus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:25
L2	1795	stylus with housing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:26
L3	268	stylus with housing and release\$6 and mechanism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:26
L4	233990	stylus and slid\$6 and insert\$6 and retain\$6 and housing and release\$6 and mechanism and locat\$6 resilient and force	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:41
L5	153	stylus and slid\$6 and insert\$6 and retain\$6 and housing and release\$6 and mechanism and locat\$6 and resilient and force	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:41
L6	29	stylus and slid\$6 and insert\$6 and retain\$6 and housing and release\$6 and mechanism and locat\$6 and resilient adj force	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:41
L7	19	stylus and slid\$6 and insert\$6 and retain\$6 and housing and release\$6 and mechanism and locat\$6 and resilient adj force and stable\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 10:24
L8	0	stylus and slid\$6 and insert\$6 and retain\$6 and housing and release\$6 and mechanism and locat\$6 and resilient adj force and stable\$6 and impede\$6 adj material and high adj friction adj coefficient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:47
L9	0	stylus and slid\$6 and insert\$6 and retain\$6 and housing and release\$6 and mechanism and locat\$6 and resilient adj force and stable\$6 and impede\$6 adj material and high and friction adj coefficient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:47

L10	0	stylus and slid\$6 and insert\$6 and retain\$6 and housing and release\$6 and mechanism and locat\$6 and resilient adj force and stable\$6 and impede\$6 adj material and high and friction and coefficient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:47
L11	0	stylus and slid\$6 and insert\$6 and retain\$6 and housing and release\$6 and mechanism and locat\$6 and resilient adj force and stable\$6 and impede\$6 and material and high and friction and coefficient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:48
L12	20	stylus and slid\$6 and insert\$6 and retain\$6 and housing and impede\$6 and material and high and friction and coefficient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:48
L13	18	stylus and slid\$6 and insert\$6 and retain\$6 and housing and impede\$6 and material and high and friction and coefficient and release\$6 and mechanism and locat\$6 and stable\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:48
L14	18	stylus and slid\$6 and insert\$6 and retain\$6 and housing and impede\$6 and material and high and friction and coefficient and release\$6 and mechanism and locat\$6 and stable\$6 and resilient and force	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:48
L15	8	Liu and TA-WEI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 10:38
L16	3	Liu and TA-WEI and LIN and DUAN-YING	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 10:38

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	36760	stylus and housing and release\$6 and mechanism and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:27
		(stylus adj (retain\$6 and releas\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 12:44
L1	36760	stylus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:25
L2	1795	stylus with housing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:26
L3	268	stylus with housing and release\$6 and mechanism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:26
L4	233990	stylus and slid\$6 and insert\$6 and retain\$6 and housing and release\$6 and mechanism and locat\$6 resilient and force	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:41
L5	153	stylus and slid\$6 and insert\$6 and retain\$6 and housing and release\$6 and mechanism and locat\$6 and resilient and force	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:41
L6	29	stylus and slid\$6 and insert\$6 and retain\$6 and housing and release\$6 and mechanism and locat\$6 and resilient adj force	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:41
L7	19	stylus and slid\$6 and insert\$6 and retain\$6 and housing and release\$6 and mechanism and locat\$6 and resilient adj force and stable\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:46

L8	0	stylus and slid\$6 and insert\$6 and retain\$6 and housing and release\$6 and mechanism and locat\$6 and resilient adj force and stable\$6 and impede\$6 adj material and high adj friction adj coefficient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:47
L9	0	stylus and slid\$6 and insert\$6 and retain\$6 and housing and release\$6 and mechanism and locat\$6 and resilient adj force and stable\$6 and impede\$6 adj material and high and friction adj coefficient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:47
L10	0	stylus and slid\$6 and insert\$6 and retain\$6 and housing and release\$6 and mechanism and locat\$6 and resilient adj force and stable\$6 and impede\$6 adj material and high and friction and coefficient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:47
L11	0	stylus and slid\$6 and insert\$6 and retain\$6 and housing and release\$6 and mechanism and locat\$6 and resilient adj force and stable\$6 and impede\$6 and material and high and friction and coefficient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:48
L12	20	stylus and slid\$6 and insert\$6 and retain\$6 and housing and impede\$6 and material and high and friction and coefficient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:48
L13	18	stylus and slid\$6 and insert\$6 and retain\$6 and housing and impede\$6 and material and high and friction and coefficient and release\$6 and mechanism and locat\$6 and stable\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:48
L14	18	stylus and slid\$6 and insert\$6 and retain\$6 and housing and impede\$6 and material and high and friction and coefficient and release\$6 and mechanism and locat\$6 and stable\$6 and resilient and force	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 09:48
S1	31008	stylus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:09
S2	6092	stylus and retain\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 15:00

S3	2177	stylus and retain\$6 and release\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 15:00
S4	1769	stylus and retain\$6 and release\$6 and mechani\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 15:01
S5	650	stylus and retain\$6 and release\$6 and mechani\$6 and housing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 15:01
S6	564	stylus and retain\$6 and release\$6 and mechanism and housing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 15:01
S7	405	stylus and retain\$6 and release\$6 and mechanism and housing and receive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 15:01
S8	5	stylus and retain\$6 adj slot and release\$6 and mechanism and housing and receive and cavity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 15:02
S9	95	stylus and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 15:03
S10	82	stylus and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 15:03
S11	79	stylus and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 15:03
S12	34	stylus and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and (release\$6 and terminate and cavity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 15:05

S13	19	stylus and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and (release\$6 and terminate and cavity) and (resilient and force)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 10:14
S14	508	palm with (stylus or pen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 09:43
S15	2	palm with (stylus or pen)and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and (release\$6 and terminate and cavity) and (resilient and force)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 10:30
S16	17	palm with (stylus or pen)and retain\$6 and slot and release\$6 and mechanism and housing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 09:45
S17	59	palm with (stylus or pen)and retain\$6 and slot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 10:30
S18	92	PDA with (stylus or pen)and retain\$6 and slot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 10:30
S19	59	palm with (stylus or pen)and retain\$6 and slot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 10:30
S20	1	PDA with (stylus or pen)and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and (release\$6 and terminate and cavity) and (resilient and force)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 10:31
S21	2	PDA with (stylus or pen)and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and terminate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 10:33

S22	7	PDA with (stylus or pen)and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and resilient and force	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 10:33
S23	9	PDA with (stylus or pen)and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 10:34
S24	22	PDA with (stylus or pen)and retain\$6 and slot and release\$6 and mechanism and housing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 10:43
S25	33	PDA with (stylus or pen) and slidable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 11:11
S26	1	((PDA or pesrsonal adj digital adj assistant) or palm or (portable adj cpmputer or hand adj held adj cpmputer)) with (slid\$6 or inset\$6) adj (stylus or pen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 11:08
S27	9	PDA with (stylus or pen) and slidable and holder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 11:09
S28	9	PDA with (stylus or pen)and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 12:13
S29	9	PDA with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 12:13
S30	1	PDA with (stylus or pen)and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and terminate and (resilient and force)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 13:20
S31	202	(PDA or hand adj held adj computer or PALM) with housing and slidable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 13:30

S32	27	(PDA or hand adj held adj computer or PALM) with housing and slidable and (stylus or pen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 13:44
S33	1	data adj capturing adj device with (stylus or pen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 13:46
S34	11	touch adj pad and attached adj (stylus or pen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 13:52
S35	3	signature adj pad and attached adj (stylus or pen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 13:59
S36	1	(POS with credit adj card adj swiper)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 13:57
S37	2	POS and credit adj card adj swiper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 13:58
S38	182	signature adj pad	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 13:59
S39	85	signature adj pad and (stylus or pen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 14:03
S40	3	signature adj pad and (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 14:04
S41	22	signature adj pad and (stylus or pen) and retain\$6 and slot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 14:19

S42	7	signature adj capture adj pad and (stylus or pen) and retain\$6 and slot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 08:24
S43	1	stylus adj (retaining and releasing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:09
S44	309	stylus and (retaining and releasing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:09
S45	0	stylus and (retaining and releasing)adj mechanism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:10
S46	0	stylus and (retaining and releasing)adj mechan\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:10
S47	231	stylus and (retaining and releasing)and mechanism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:10
S48	0	stylus and (retaining and releasing)and mechanism and suitable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:11
S49	86	stylus and (retaining and releasing)and mechanism and suit\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:11
S50	83	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:11
S51	42	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:12

S52	34	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and receive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:12
S53	34	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:13
S54	33	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:13
S55	18	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:13
S56	11	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:13
S57	11	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:14
S58	10	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:14
S59	5	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:17
S60	0	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and stable and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:16

S61	0	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and stable and configurat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:16
S62	0	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and stable and arrange\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:16
S63	0	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and stable and arrange\$6 and eject	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:17
S64	0	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and stable and arrange\$6 and eject\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:18
S65	0	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and stable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:18
S66	5	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and arrange\$6 and eject\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:18

S67	5	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and arrange\$6 and eject\$6 and clamp\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:18
S68	5	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and arrange\$6 and eject\$6 and clamp\$6 and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:19
S69	7	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:34
S70	10	stylus adj hold\$6 adj housing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:36
S71	0	stylus adj hold\$6 adj housing and (retaining and releasing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:37
S72	0	stylus adj hold\$6 adj housing and (holding and releasing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/04 15:37
S73	11	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 07:54
S74	7	signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and (retin\$6 or hold\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 08:25

S75	7	signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and (retin\$6 or hold\$6) and slid\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 08:25
S76	7	signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and ((retin\$6 or hold\$6) and slid\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:17
S77	0	signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and ((retin\$6 or hold\$6) and (stylus or pen)adj slid\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:07
S78	0	signature adj capture adj pad and ((stylus or pen) and (stylus or pen)adj slid\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:07
S79	0	signature adj capture adj pad and ((stylus or pen) and (stylus or pen) adj slid\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:08
S80	0	(stylus or pen) and housing and (stylus or pen) adj slide\$6 adj housing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:10
S81	0	(stylus or pen) and housing and (stylus or pen) adj slide\$6 and signature adj apd	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:10
S82	0	(stylus or pen) and housing and (stylus or pen) adj slide\$6 and signature adj pad	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:10
S83	11	(stylus or pen) and housing and (stylus or pen) adj slide\$6 and Electronic adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:15
S84	3	(stylus or pen) and housing and (stylus or pen) adj slide\$6 and (PDA or palm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:15

S85	7	signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and (stylus and (retin\$6 or hold\$6) and slid\$6 adj gorve or track or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:33
S86	20	"5,561,282"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:31
S87	2	"5,561,282".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:31
S88	1	"5,561,282".pn. and (stylus and (retin\$6 or hold\$6) and slid\$6 adj gorve or track or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:32
S89	0	"5,561,282".pn. and (stylus and (retin\$6 or hold\$6) and slid\$6 adj (gorve or track or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:33
S90	0	signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and (stylus and (retin\$6 or hold\$6) and slid\$6 adj (gorve or track or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:33
S91	0	signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and (stylus and (retin\$6 or hold\$6) and slid\$6 adj (gorve or track or path or hold\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:33
S92	44	(stylus or pen) and housing and (stylus or pen) adj slide\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:41
S93	19	(stylus or pen) and housing and ((stylus or pen) and retain\$6 and slot) and (stylus and (retin\$6 or hold\$6) and slid\$6 adj (gorve or track or path or hold\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:35
S94	6	(stylus or pen) and housing and (stylus or pen) adj slide\$6 and ((stylus or pen) and retain\$6 and slot) and (stylus and (retin\$6 or hold\$6) and slid\$6 adj (gorve or track or path or hold\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:38

S95	0	(stylus or pen) and housing and (stylus or pen) adj slide\$6 and ((stylus or pen) and retain\$6 and slot) and (stylus and (retin\$6 or hold\$6) and slid\$6 adj (gorve or track or path or hold\$6)) and electronic adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:39
S96	1	(stylus or pen) and housing and (stylus or pen) adj slide\$6 and ((stylus or pen) and retain\$6 and slot) and electronic adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:40
S97	11	(stylus or pen) and housing and (stylus or pen) adj slide\$6 and electronic adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:40
S98	3	(stylus or pen) and housing and (stylus or pen) adj slide\$6 and (palm or pda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:42
S99	108311	PDA or PALM or hand adj held adj electronic adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 10:04
S10 0	108311	(PDA or PALM or (hand adj held adj electronic adj device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 10:06
S10 1	1862	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 10:06
S10 2	107	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and push adj button	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 10:07
S10 3	42	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and slid\$6 and push adj button	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 10:08
S10 4	51	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and slid\$6 and eject\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 10:08

S10 5	25	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and slid\$6 and eject\$6 and housing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 10:08
S10 6	16	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and slid\$6 and groove and eject\$6 and housing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 11:41
S10 7	3	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and slid\$6 and groove and eject\$6 and housing and polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 12:17
S10 8	30	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and housing and polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 12:18
S10 9	18	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and housing and polymer and slid\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 12:18
S11 0	0	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and housing adj polymer and slid\$6 and groove	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 12:19
S11 1	0	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and housing adj polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 12:19
S11 2	7	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and housing and polymer and slid\$6 and groove	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 12:19
S11 3	2	"5,892,824".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 12:37
S11 4	0	"5,892,824".pn. and polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 12:37

S11 5	0	"6,200,056".pn. and polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 12:38
S11 6	0	"6,700,773".pn. and polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 12:39
S11 7	0	"6,193,152".pn. and polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 12:39
S11 8	137	stylus and (retain\$6 and slot) and (includ\$6 and protrud\$6 and clamp\$6) and member and (insert\$6 and retain\$6 and slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 10:17
S11 9	14	stylus and (retain\$6 and slot) and (includ\$6 and protrud\$6 and clamp\$6) and member and (insert\$6 and retain\$6 and slot) and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and (release\$6 and terminate and cavity) and (resilient and force)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 12:26
S12 0	2	"6045393".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 11:34
S12 1	1	"6045393".pn. and stylus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 11:34
S12 2	5	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 11:59
S12 3	5	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and protrud\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 11:59

S12 4	5	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and protrud\$6 and clamp\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 11:59
S12 5	207	(stylus and (retain\$6 and slot) and (includ\$6 and protrud\$6 and clamp\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 12:27
S12 6	0	(stylus adj (retain\$6 and slot) and (includ\$6 and protrud\$6 and clamp\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 12:27
S12 7	3	(stylus adj retain\$6 and slot and (includ\$6 and protrud\$6 and clamp\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 12:42
S12 8	5	stylus adj (retain\$6 and releas\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 12:50
S12 9	3	stylus adj (retain\$6 and releas\$6) and protrud\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 12:48
S13 0	1	stylus adj (retain\$6 and releas\$6) and protrud\$6 and clamp\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 12:48
S13 1	1	stylus adj (retain\$6 and releas\$6) and clamp\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 12:50
S13 2	80	stylus adj retain\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 12:51

S13 3	2	stylus adj retain\$6 and protrud\$6 adj clamp\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 12:51
S13 4	3	stylus adj retain\$6 and protrud\$6 and clamp\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 12:51
S13 5	2	"5,561,282".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:31
S13 6	1	"5,561,282".pn. and protrude\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:32
S13 7	0	"5,561,282".pn. and protrude\$6 and clamp\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:33
S13 8	0	"6,545,577".pn. and protrude\$6 and clamp\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:33
S13 9	0	"6,545,577".pn. and clamp\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:33
S14 0	1	"6,545,577".pn. and protrude\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 14:06
S14 1	1	"20020190823" and protrude\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 14:07
S14 2	5	(stylus adj (retain\$6 and releas\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 13:17

S14 3	0	(stylus adj (retain\$6 and resilient and force and releas\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 12:44
S14 4	441	(stylus and (retain\$6 and resilient and force and releas\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 12:45
S14 5	441	(stylus and (retain\$6 and (retain\$6 and resilient and force) and releas\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 12:45
S14 6	40	(stylus and (retain\$6 and (retain\$6 and resilient adj force) and releas\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 12:45
S14 7	0	(stylus and (retain\$6 and (retain\$6 adj resilient adj force) and releas\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 12:47
S14 8	1	(stylus and (retain\$6 and (store\$6 adj resilient adj force) and releas\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 12:47
S14 9	11	(stylus and (retain\$6 and (store\$6 and resilient adj force) and releas\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 12:47
S15 0	1	(stylus adj (retain\$6 and releas\$6)) and (store\$6 and resilient and force)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 12:51
S15 1	1	(stylus adj (retain\$6 and releas\$6)) and resilient and force	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 12:51
S15 2	1	(stylus adj (retain\$6 and releas\$6)) and resilient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 12:51

S15 3	2	"20020190823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 13:13
S15 4	0	"20020190823" and resilient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 13:29
S15 5	0	"6,016,248".pn. and resilient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 13:13
S15 6	2	"6,016,248".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 13:29
S15 7	107	stylus and resilient adj force	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 13:18
S15 8	26	stylus and resilient adj force and retained	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 13:18
S15 9	22	stylus and resilient adj force and retained and released	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 13:19
S16 0	12	stylus and resilient adj force and retained and released and friction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 13:22
S16 1	150	stylus and retain\$6 and spring adj load\$6 and cavity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 13:23
S16 2	105	stylus and retain\$6 and spring adj load\$6 and cavity and release\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 13:27

S16 3	37	stylus and retain\$6 and spring adj load\$6 and cavity and release\$6 and resilient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 13:23
S16 4	36	stylus and retain\$6 and spring adj load\$6 and cavity and release\$6 and resilient and force	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 13:23
S16 5	3	stylus and retain\$6 and spring adj load\$6 and cavity and release\$6 and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 13:28
S16 6	0	stylus adj retain\$6 and spring adj load\$6 and cavity and release\$6 and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 13:28
S16 7	0	stylus adj retain\$6 and spring adj load\$6 and cavity and release\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 13:28
S16 8	2	"20020190823" and stylus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 13:29
S16 9	0	"6,016,248".pn. and stylus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 13:30
S17 0	2	"5,561,282".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/05 14:16